

Version	1.1
Year	2025 - 2026

U02 Retail3.2 Online Template Tool User Manual

Catalog

1	Summary.....	4
1.1	Template Tool Introduction	4
1.2	Template Type Introduction	4
1.3	Software Introduction	4
1	Accesstoonlineplatetool.....	5
2	MenuBarButton.....	6
3.1	Left menu introduction	6
3.1.1	Add	6
3.1.2	Template	8
3.1.3	Element	9
3.2	Introduction of the Right Menu	10
3.2.1	Canvas Setting	10
3.2.2	Text Element	12
3.2.3	Price Element	14
3.2.4	QR code Element	16
3.2.5	Barcode Element	18
3.2.6	Picture Element	19
3.2.7	Rectangular Element	20
3.2.8	The Line Element	21
3.2.9	Level Element	21
3.2.10	Video Element	23
3.2.11	Slide Element	24
3.2.12	Sub-layout Element	25
3.3	Top Menu Introduction	27
4	Howtomaketemplates.....	28
4.1	Make a 4.2" black, white, and red ESL price tag SAL (promotional) template	28
4.2	Make a template for a single good with a 10.1" LCD color screen.	31

1 Summary

1.1 Template Tool Introduction

Regarding the traditional paper price tag display content and customer application requirements, the display content is edited by an online template tool and transferred to the electronic price tag for display through the system.

1.2 Template Type Introduction

Electronic price tag display templates can define the display content according to the different needs of shops, including product name, price, unit, barcode, etc., and customize the templates for different sales types of products, such as normal display templates, promotional display templates, membership display templates, display templates with tax, display templates without tax, etc, and all the display content can be edited by yourself. Refer to the paper price tag template type as follows:




Template type names: the above picture names for type 1 and type 2, in the electronic price tag is usually based on the display of content information for names, only the retail price, the template named REG, there is a retail price, and at the same time there is a promotional price named SAL, there is a retail price, and at the same time there are members of the price named MER. according to the actual requirements to define the name.

1.3 Software Introduction

The online template tool described in this paper is based on eDesigner 3.2 software, which integrates with the eRetail 3.2 system, hereinafter referred to as (the template tool). Users must use the template tool to design the electronic price tag display template, in which the template display information part can bind the customer commodity data, and then achieve the commodity information through the synchronization, and directly in the price tag display. The template tool can be used after clicking on the save button.

1 Accesstoonlineplatetool


Through the eRetail3.2 system menu template management click "Add" to enter the online template tool.



eDesigner interface is as follows, the top menu for the template production process of some practical operations;

The left menu is for adding and switching templates as well as adding various customized elements to the templates, and you can quickly locate the template elements through the template structure display bar;

Properties of the right menu can adjust the properties of the currently selected element, and the settings page can adjust the parameters of the canvas. Detailed functions are described in the menu bar buttons below.



2 MenuBarButton

The menu divides into three modules, the left menu, the right menu and the top menu.

3.1 Left menu introduction

3.1.1 Add

Click the Add button to add a new blank template canvas.

1. Document name

That is, the template name, usually defines the name by the template type inside the name names the regular ESL price tag, such as REG, SAL, MER, U, OOS, etc.

2. Label type



Select the corresponds to the price tag type to make the correlation template, where LCD ESL selects ET1010C-S(D) and LCD selects Custom.


3. Data version

Default by 99, relates to commodity field information.

4. Documentation Direction

By adjusting the document direction, the price tag display direction can be changed. Users can make adjustments according to actual usage need.





Attribute

Set

Background color

Background image

Black

Red

Is shake

Tag color

White

Background mode

Locking

Name

REG

3 / 50

MISC

Blue

Flash before

Green

Specify page

Pattern

Red

Flash duration


Label type

648

480

3.1.2 Template

After adding an element, use the menu bar on the right to set the element and edit its properties. The detailed instructions are as follows.




3.1.3 Element

By adding corresponding elements to form a complete template, the reference display style of the elements corresponding to different color lines in the template canvas is as shown in the figure below. The elements in the template are complete and clearly marked, which is convenient for users to quickly locate and select.

Element types: support adding text, price, QR code, barcode, picture, rectangle, line, level, video, slide, sub-layout elements. The sample styles corresponding to some elements are as follows;

Template structure: When the template elements are multi-layered or exceed the canvas, you can quickly select each element in the template by clicking the element name in the template structure.



3.2 Introduction of the Right Menu

After adding an element, it can edit the element set and attribute through the right-side menu bar, the details are as follows.

3.2.1 Canvas Setting

The overall parameter sets are as follows:

The screenshot displays the 'Attribute' and 'Set' panels of the tool. The 'Attribute' panel is on the left, and the 'Set' panel is on the right. The 'Attribute' panel includes sections for 'Background color' (Black, White, Tag color), 'Background image' (Stretch image), 'Locking' (disabled), 'Name' (REG 3 / 50), and 'Misc' (Blue, Flash before, Green, Specify page, Pattern, Red, Flash duration, Label type). The 'Set' panel shows a color palette with a red box around the transparent color icon.

1. Backgroundcolor

Canvas background color, LCD ESL, LCD two devices can customize the color, support transparent color sets. When background transparency is set, the theme background image during set holidays is used.

Background transparency sets:

The screenshot shows the 'Attribute' panel with the 'Background color' section. The 'Set' button is highlighted with a red box, indicating the transparent color set.

2. BackgroundPicture

Adds a background image to the canvas layout, usually for use with both LCD ESL and LCD devices.

3. PictureShake

Whethertoshake:pictureShakeswitch,usuallyinuseforpicturesaddbyESLdevices.

Black:TakeseffectwhentheShakeswitchswitcheson,andsetstheblackShakeparameterofthepicture.

Red:EffectivewhentheShakeswitchisturnedon,setstheredShakeparameterforthepicture.

White:thesizeoftheimageShakeparameter,thelargerthenumber,the"darker"thecolorchoiceinthe price tag color.

Pricetagcolor:thecolorShakeparameteroftheimage,ifselectingblackthentheimagewillshowblack as a whole.

Example: When selecting Yes to Shake, Black: 10, Red: 255, White: 250, and select Red for the price tag color, the effect before and after Shake is as follows:



4. Background mode

Image display styles may be set for auto-size, center display, proportional fill, and overflow crop.

5. Lock

Can't adjust the element coordinate position after lock, but can modify the element value, and you can freely drag and drop the canvas layout.

6. Title

Document name, which allows you to change the name of the document here.

7. Price tag flashlight setting

Blue:BlueswitchinflashcolorRGB.

Green:GreenswitchinflashcolorRGB.

Red:RedswitchinflashcolorRGB.

FlashDuration:flashdurationinseconds.

Whethertoflashthelightfirst:Yesmeansrefreshfirstandthenflashthelight,Nomeansflashthelight first and then refresh.

8. Specify Page Break

ESL price tags have a total of 8 pages of content that it can display, and selecting the specified number of pages of the template will refresh the price tag to the corresponding number of pages. NFC functional price tags can through NFC page cut function to switch the contents of the display.

9. Model

Includes the following six: Update and Display; Partial Update and Display; Update Only; Display Specified Page; Display Firmware Information; and Flash Only.

16. Label type

Corresponds to the price tag feature code, distinguishes the price tag size, and uses environment.

17. Size

Corresponds to price tag resolution.

3.2.2 Text Element

To display product names generally, specifications, code, price, comments, etc. The overall setup parameters are as follows:

The screenshot displays the 'Attribute' tab of a configuration tool. It is divided into three main sections: 'Data', 'Outlook', and 'Text'.

- Data Section:**
 - Bind data:** A dropdown menu showing '商品名称' (Product Name).
 - Compound mode:** A dropdown menu showing 'Replace'.
 - Intercept direction:** A dropdown menu showing 'Left to right'.
 - Intercept length:** A numeric input field with a value of '0' and increment/decrement buttons.
 - Preview value:** An empty text input field.
 - Show if empty:** A toggle switch currently set to 'Hide'.
- Outlook Section:**
 - Horizontal scroll:** A numeric input field with a value of '0' and increment/decrement buttons.
 - Vertical scroll:** A numeric input field with a value of '0' and increment/decrement buttons.
 - Width:** A numeric input field with a value of '647' and increment/decrement buttons.
 - Height:** A numeric input field with a value of '94' and increment/decrement buttons.
- Text Section:**
 - Background color:** A color selection tool with black, white, red, and a custom color icon.
 - Border:** A border style selection tool with various grid patterns.
 - Border color:** A color selection tool with black, white, red, and a custom color icon.
 - Width:** A numeric input field with a value of '0' and increment/decrement buttons.
 - Border radius:** A numeric input field with a value of '0' and increment/decrement buttons.
 - Locking:** A toggle switch currently set to 'Off'.
 - Auto size:** A dropdown menu showing 'No'.
 - Show text:** A text input field showing '商品名称' and a character count '4 / 50'.
 - Vertical display:** A dropdown menu showing 'No'.
 - Font settings:** A dropdown menu showing 'Zfull-GB'.
 - Font effect:** A set of icons for text effects: T (normal), I (italic), B (bold), B (bold), A (underline), and U (underline).
 - Font color:** A color selection tool with black, white, red, and a custom color icon.
 - Font size:** A numeric input field with a value of '90' and increment/decrement buttons.
 - Font Line Spacing:** A numeric input field with a value of '1.0' and increment/decrement buttons.
 - Horizontal Alignment:** A set of icons for horizontal alignment: left, center, right, and justified.
 - Vertical Alignment:** A set of icons for vertical alignment: top, middle, bottom, and baseline.
 - Horizontal stretch:** A numeric input field with a value of '1.0' and increment/decrement buttons.
 - Vertical stretch:** A numeric input field with a value of '1.0' and increment/decrement buttons.

1. ProductFieldDisplayorIntercept

BoundFields: The added element bound to the corresponding product information field displays the relevant product information, and the field reads the dynamic model configuration field information directly.

Interceptdirection: Start from the front or back matches the length of the intercept to use, 0 is not intercept, only for the bound field commodity information part of the validity.

Example: The original data of the product name is: "Hairy Crab in Suzhou", the length of the intercept from right to left is set to 3, and it displays on the price tag as "Hairy Crab".

2. Combopresentations

It is possible to splice and display product-bound fields and fixed text.

Combomethod: Element information changes to the way the product displays information, with substitutions, prefixes, and suffixes.

Previewvalue: The combination mode takes effect when selecting prefixes and suffixes, and to preview the display effect after the element information changes.

Whethertoshowifitisemptyornot: when the combination mode selects prefix and suffix takes effect and selects hidden, the bound field is empty, the price tag does not show text information, and vice versa, the same thing.

Example: The original data of the product name is: Suzhou Hairy Crab, the combination is a prefix, the preview value is New, and it is displayed on the price tag as New Suzhou Hairy Crab.

3. Coordinate

Position of the element within the canvas, X and Y coordinates.

4. Sizes

Size, length, and width of the element within the canvas.

5. Backgroundcolor

Default white, when transparent color is set, the bottom level content information can display as well.

6. Border

The border display of the element's size within the canvas layout, default no border.

7. Bordercolor

Match the above border color.

8. Width

Border width.

9. Roundedcorner

Change the text background color shape.

Example: Rounded Corner Sets Effect:



10. Lock

Lock this element, cannot drag and drop the element, and can modify the element parameters.

11. Auto-size

When you select "Yes", the number of words in the text area is adaptive, fix the display area and the more words there are, the font size reduces automatically.

12. Displaytext

Display a preview of the content within the element, if bound the field replaces this content. Or display product information before or after this item.

13. Verticaldisplay

When on the turn, it displays Chinese characters from top to bottom and letters from top to bottom and rotates 90 degrees.



Example: When the vertical display turns on:

turn off:



14. FontSetting

Select the text display content font.

15. Fonteffect

Select the text display content style, regular, slant, bold, slant bold, strikethrough, or underline, can select the latter two at the same time.

16. Fontcolor

Select the text display content color, LCD ESL, LCD can select any color.

17. Fontsize

Select text to display the size of the content.

18. Fontlineheight

Select the text to display line spacing size.

19. Horizontalalignment

Select the text display content to be left, horizontally centered, right, and aligned at both ends.

20. Verticalalignment

Select the text display content centered up, centered vertically, or centered down.

21. Horizontalstretch

Select the text horizontal stretch ratio.



Example: Horizontal stretch effect:

22. Vertical stretch

Select the text vertical stretch ratio.



Example: Vertical stretch effect:

3.2.3 Price Element

Usually uses to display the price of goods, and text display price difference is that you can set the decimal part of the display style, the overall setup parameters are as follows:


1. Content

Within the element display the preview of the content, when binding the field usually select replace.

2. Thousandths position

Sets the height position of the thousandth character.

Example:

When height is set to 0: 

When height is set to 20: 

3. Decimal style

The decimal part alignment is divided into none, upper corner mark, and lower corner mark, default with the second.

Example:

Null: 

Superscript: 

subscript: 

4. Partition

Integer and decimal parts Separate symbols, the default by use of a decimal point, can replace other symbols.



Example: When the separator is set to "·":

5. Decimal point location

Only when the decimal style is the upper corner mark Takes effect, which allows you to set the decimal point to be above or below.

Example:

located above: 

located below: 

Note: Other attribute rules are the same as those for text elements repeat not here.

3.2.4 QR code Element

Usually used to display website links (product traceability information), device IDs, etc. The overall setup parameters are as follows:

Attribute

Set

Data

Bind data

None

Compound mode

Replace

Intercept direction

Left to right

Intercept length

- 0 +

Preview value

Show if empty

Hide ☐ Show ☒

Outlook

←

- 508 +

↕

- 220 +

↔

- 100 +

↓

- 100 +

Background color

☒
☐
☐
☐

Border

☐
☐
☐
☐
☐
☐

Border color

☒
☐
☐
☐

Width

- 1 +

Border radius

- 0 +

Locking

☐

Color

☒
☐
☐
☐

Text

https://www.bing.com 20 / 160

1. Bound fields

Usually choose the device ID or the QR code field within the product data to bind, where the device ID is convenient for APP to scan and bind.

2. Background color

The QR code displays the background color.

3. Color

QR code displays content color.

Example: Black, white and red price tags with different color combinations can display four styles, LCD ESL, LCD can combine any colors.

Picture 1: Background white, color black; Picture 2: Background red, color black; Picture 3: Background white, color red.



4. Text

The QR code default displays the message content, and the unbound fields default display this content.

3.2.5 Barcode Element

Usually display the product of barcode or code, and the overall setup parameters as follows:

The screenshot shows the configuration panel for a barcode element. It includes sections for 'Data' and 'Outlook'. The 'Data' section has options for binding data, compound mode, intercept direction, intercept length, preview value, and a toggle for showing empty values. The 'Outlook' section includes padding controls, background and border color pickers, width and border radius sliders, a locking toggle, barcode format selection, font size, foreground color, rotation, and a 'Barcode only' toggle. A text input field at the bottom shows the sample barcode value '123456789123'.

1. Barcode format

Barcode display format can choose Auto, Aztec, Codabar, Code 39, Code 93, Code 128, Data Matrix, EAN 8, EAN 13, ITF, MSI, PDF417, Plessy, QR Code, UPC-A, UPC-E, and often choose Code 128 in China.

2. Font size

Barcode information font size.

3. Foreground color

Barcode content color.



Example: When the foreground color is set to red:

4. Rotate

Barcode rotation direction.



Example: When set to rotate 90 degrees

5. Display text

Turn on to show the barcode and the numeric information of the barcode, and turn off to show the barcode only.



Example: SelectYes:

SelectNois:



6. Text

The barcode default display message, when not to bind the field will display this content.


3.2.6 Picture Element

ESL devices usually display customer LOGO (solid color black, white, yellow, red), LCD ESL, LCD product pictures, or customer LOGO, the overall setup parameters are as follows:

Attribute	Set
Content	
Image	
Rotate	None
Size mode	Stretch image
Data	
Bind data	None
Compound mode	Replace
Intercept direction	Left to right
Intercept length	0
Preview value	
Show if empty	Hide ☐ Show ☒
Picture	
Black	10
Red	255
Is shake	No
Tag color	
White	250
Outlook	
Left margin	140
Right margin	235
Top margin	100
Bottom margin	100
Background color	
Border	
Border color	
Width	1
Border radius	0
Locking	☒
Sign	Sign 0 / 50

1. Picture

Click the Add button to upload image resources.



2. Rotate

Set the image rotation style.

3. Bound fields

Choose to bind the product or region, and after binding display the corresponding material of the product or region.

4. Size model

Can set auto-size, centered display, proportional fill, and overflow crop.

5. Feature codes

After it sets the feature code, the system will automatically match it with the middle feature code of the material and display it.

Example: After adding the image element, the bound field selects the bound commodity, sets the element feature code to show, and sets the commodity bound material feature code to show at the same time, then the price tag bound to the commodity will display the image with the feature code of show.

3.2.7 Rectangular Element

Use to split the canvas layout area Usually, adding area background color, decoration, etc. can ignore the set of the data part.

3.2.8 The Line Element

It is usually used to split canvas layout areas, skew strikethroughs, decorations, etc. The element supports attribute sets as follows:

1. **Background color**
Set the line color.
2. **Width**
Set the line width.

3.2.9 Level Element

Use the graph to present the product grade, the bound field value must be int type, and the overall setup parameters are as follows:

属性

设置

数据

绑定字段

无

组合方式

替换

截取方向

左到右

截取长度

-

0

+

预览值

为空是否显示

隐藏

显示

外观

←

-

-33

+

↕

-

76

+

↔

-

185

+

↕

-

37

+

背景颜色

■

□

■

■

边框

■

■

■

■

■

■

边框颜色

■

□

■

■

宽

-

1

+

圆角

-

0

+

锁定

数量

-

5

+

间距

-

5

+

图标颜色

■

□

■

■

图标样式

☆

○

图标大小

-

36

+

显示等级值

-

1

+

1. Quantity

The size of the level value.

2. Space

Distance between level symbols.

3. Icon Color

Color of level symbols.

4. Icon style

Icon style of the Level Symbol, default by star.

5. Icon size

The size of the level symbol.

6. Display of level value

The specific value of the Level (for example the number of black stars in the example).

Example: the number is set to 5, the icon color is set to black, the icon style is set to star, and the display level value is set to 3, as follows.

Limited Scope of Use

22 / 36

3.2.10 Video Element

Usually for use display the goods or advertising video of LCD ESL, and LCD, bind the field to choose to bind the goods, bind the area, None (empty). The element supports attribute sets as follows:

1. Bound fields

Boundgoods:Videotogettheproductboundvideoplayback,iftheproductisnotboundvideotoget the regional video playback.


Boundarea:Theproductgetsregionallyboundvideoplayback.

None:Customoptiontoplayvideosthatarereviewedinthebackground.

2. Feature code

With the background audited video feature value to do correspondence, after the setup of the video to obtain the feature value of the same video, for festivals, and events, set the automatic replacement of the video display content.

Example: For National Day, you can set the relevant video's feature value and the video's feature value in the template to be the same, to bind the video appropriate to the National Day.



3.2.11 Slide Element

Often used to LCD playback of multiple product or advertisement pictures, the overall setup parameters are as follows:

Attribute	Set
Data	
Bind data	None
Compound mode	Replace
Intercept direction	Left to right
Intercept length	- 0 +
Preview value	
Show if empty	Hide ☐ Show ☐
Outlook	
- 41 + - 172 +	
- 200 + - 200 +	
Background color	
Border	
Border color	
Width	- 1 +
Border radius	- 0 +
Locking	☐
Interval	- 0 +
Size mode	Center image
Sign	Sign 0 / 50

1. Bound field

Boundproduct:playthepicturesboundtotheproductinorder,canbindmorethanonepicture.

Boundarea:Playtheimagesboundtotheareainsequence,multipleimagesbound.

2. Interval

Set the picture playback interval.

3. Size Mode

It Can set picture scroll mode: auto-size, centered display, proportional fill, and overflow crop.

4. Feature code

It can correspond to the feature values of multiple images that are reviewed in the background, and play those images with consistent feature values in order, with rules such as 3.2.6 for the image element.




3.2.12 Sub-layout Element

Often for use with LCD ESL, LCD, ESL to do a combination of bound templates also need to use this element (a price tag to display multiple goods). A sub-layout is equivalent to a goods bit, goods have more than one template type when you need to add more than one type of template in the sub-layout, different template name corresponds to different template types.

1. Add template type

It can click the Add button in the sub-layout. to add a template type within the sub-layout.



2. Change of template type

Click on the template name tab above the sub-layout to change view and edit the different template types.



3. Copy and paste the template

Click on the copy button to copy the entire content of the template type in the sub-layout, you can paste it into other sub-layouts and simply modify it to quickly complete the template content creation.



3.3 Top Menu Introduction



1. Introduction

Import the template file which saves as a JSON file, it can directly import the template made in other places, or change the parameters and content and save it for direct use.

2. Preservation

Save the template to the eRetail 3.2 system backend.

3. Cut, copy, paste

Cut, copy, and paste elements (including set parameters) into other templates (multiple templates within the same online template tool can cut, paste, and copy each other; multiple templates from different online template tools cannot be manipulated) or sub-layouts.

4. Repeal

Return to the previous step.

5. Rework

Click only after undoing an operation to undo the "Undo".

6. Delete

Deletes the adds element, when clicks, and will promote to confirm the deletion.

7. Element position

The position of the element within the canvas layout, left, center, and right



8. Scaling

Zoom in or out of the canvas layout.



9. SelectionTool



Select elements within the canvas layout for editing. Hierarchical relationships make it impossible to select elements in the template structure.

10. Drag



lock the canvas layout for canvas drag and drop quickly.

11. Language switch



Switch the language of the online template tool page.

4 How to make templates

4.1 Make a 4.2" black, white, and red ESL price tag SAL (promotional) template

1. Client Requirements

The goods name and price should be easy to view, display the promotional price and original price, original price to add a strikethrough, display the goods code, goods barcode, specifications, grade, norm, and customer LOGO.



2. Parameter table of relevant elements

The parameters of the element attributes corresponding to the above template are listed in the table below. Which "-" default for the parameters do not need to change, not in the table by the system default parameters do not need to change.


Element attributes	Element display content parameter-Table 1							
	Goods name	sales price	LOGO	¥	9999.99	yuan/box	ori gi na l pri ce:	9999.99
Element Type	text	text	picture	text	price	text	text	text
Bound field	Goods name	default	default	default	sales price	unit	default	retail value
combination	default	default	default	default	default	suffix	default	default
content	-	-	-	-	9999.99	-	-	-
Picture	-	-	Add LOGO	-	-	-	-	-
preview value	default	default	default	default	default	box	default	default
Canvas Location	0 0	2 70	357 63	0 108	20 99	300 173	0 208	72 209
Element size	400 61	100 27	43 43	20 36	372 101	100 28	67 32	108 30
Background color	red	transparency	transparency	transparency	transparency	transparency	transparency	transparency
Auto-size	yes	default	-	default	-	yes	default	default
Display text	Goods name	sales price	-		-	yuan/	original price:	9999.99
Font Setting	Zully -GB	Zfu II-G B	-	Zfu II-G B	Impact	Zfu II-G B	Zfu II-G B	Zfu II-G B
Font effect	B	B	-	B	B	B	B	A
Font color	white	red	-	black	red	black	black	black
Font size	50	25	-	30	120	25	25	25
horizontal alignment	horizontal centering	horizontal centering	-	horizontal centering	-	be on the right	be on the left	horizontal centering
Vertical alignment	vertical centre	vertical centre	-	vertical centre	-	vertical centre	vertical centre	vertical centre
Barcode Format	-	-	-	-	-	-	-	-
Font size	-	-	-	-	-	-	-	-
Alignment	-	-	-	-	center	-	-	-

Element attributes	Element display content parameter-Table 2						
	9999.99	code :1 23 4 56	norm:420g*10	barcode	Grade:Pass	Device ID	QR code
Element Type	text	text	text	barcode	text	text	QR code
Bound field	retail value	Goods code	norm	goods barcode	default	default	Device ID
barcode	default	suffix	suffix	default	default	default	default
combination	default	-	-	-	-	-	-
content	-	-	-	-	-	-	-
Picture	-	123456	42 0g *1 0	default	default	default	default
pre view value	default	0 241	134 241	125 11	134 270	343 219	334 239
Canvas Location	72 209	131 23	131 23	150 40	131 23	45 15	60 60
Element size	108 30	transparency	transparency	transparency	transparency	transparency	white
Background color	transparency	default	default	-	default	default	-
Auto-size	default	code:	norm:	-	Grade:Pass	Device ID	-
Display text	9999.99	Zfu II-G B	Zfu II-G B	-	Zfu II-G B	Zfu II-G B	-
Font Setting	Zfull-GB	B	B	-	B	T	-
Font effect	A	black	black	-	black	black	-
Font color	black	16	16	-	16	14	-
Font size	25	be on the left	be on the left	-	be on the left	be on the left	-
horizontal alignment	horizontal centre ring	vertical centre	vertical centre	-	vertical centre	vertical centre	-
Vertical alignment	vertical centre	-	-	Code128	-	-	-
Barcode Format	-	-	-	12	-	-	-
Font size	-	-	-	-	-	-	-
Alignment	-						

4.2 Make a template for a single good with a 10.1" LCD color screen.

1. Client requirements

The product name and price should be easy to read, the promotional price and original price should be displayed, and a strikethrough should be added to the original price. The product code, product barcode, specifications, grade, unit, and customer logo should be displayed.



2. Parameter table of relevant elements

Canvas Layout Settings/Attribute Parameters							
Attribute\Setting	Templates - Setup Parameter	Video-Attribute Element	Sub-layout-Attribute Element	Text element			
				Celebrate	the	National	Day
Background Picture	The entire template content displays an image	-	-	-	-	-	-
Name	Goods×1	-	-	-	-	-	-
Bound field	-	Bound goods	-	default	default	default	default
Canvas Location	-	25 20	25 599	338 446	436 484	534 446	632 484
Element size	-	750 420	750 650	103 105	103 105	103 105	103 105
Background color	-	-	transparency 0	transparency 0			
	-	-	Background color #FFFFFF	Background color #FFFFFF			
Display text	-	-	-	Celebrate	the	National	Day
Font Setting	-	-	-	Zfull-GB	Zfull-GB	Zfull-GB	Zfull-GB
Font effect	-	-	-	B	B	B	B
Font color	-	-	-	#EC6063	#EC6063	#EC6063	#EC6063
Font size	-	-	-	80	80	80	80
horizontal alignment	-	-	-	be on the left	be on the left	be on the left	be on the left
Vertical alignment	-	-	-	vertical centre	vertical centre	vertical centre	vertical centre

Element attributes	Sub-layout - template type REG display content parameter (transparency degree 200 background color #F2F5C3)				
	-Table 1				
	Goodsname	retailvalue	GoodsPicture	999.99	yuan/box
Element Type	text	text	picture	price	text
Bound field	Goods name	default	default	retail value	norm
combination	default	default	default	default	suffix
content	-	-	-	999.99	-
Picture	-	-	un-add	-	-
preview value	default	default	default	default	box
Canvas Location	0 0	11 161	326 443	20 211	515 367
Element size	749 141	145 57	232 200	706 225	231 66
Background color	transparency	transparen cy	transparen cy	transparen cy	transparen cy
Auto-size	yes	default	-	-	default
Display text	Goods name	retail value	-	-	yuan/
Font Setting	Zfull-GB	Zfull-GB	-	Impact	Zfull-GB
Font effect	B	B	-	B	B
Font color	#000000	#32C622	-	#000000	#000000
Font size	120	40	-	260	50
horizontal alignment	horizontal centering	be on the left	-	-	be on the left
Vertical alignment	vertical centre	vertical centre	-	-	vertical centre
Barcode Format	-	-	-	-	-
Font size	-	-	-	-	-
Barcode only	-	-	-	-	-
Alignment	-	-	-	be on the left	-

Element attributes	Sub-layout - template type REG display content parameter (transparency degree 200 background color #F2F5C3)					
	-Table 2					
	code:65789	norm:450g	unit: box	barcode	Device ID	QR code
Element Type	text	text	text	barcode	text	QR code
Bound field	goods code	norm	norm	goods barcode	default	Device ID
combination	suffix	suffix	suffix	default	default	default
content	-	-	-	-	-	-
Picture	-	-	-	-	-	-
preview value	65789	450g	box	default	default	default
Canvas Location	48 536	48 440	48 488	7 596	636 484	613 522
Element size	235 52	235 52	251 49	243 47	100 30	130 130
Background color	transparen cy	transparency	transparen cy	transparency	transparenc y	transparen cy
Auto-size	default	default	default	-	default	-
Display text	code:	norm:	unit:	-	Device ID	-
Font Setting	Zfull-GB	Zfull-GB	Zfull-GB	-	Zfull-GB	-
Font effect	B	B	B	-	B	-
Font color	#32C622	#32C622	#32C622	-	#000000	-
Font size	35	35	35	-	25	-
horizontal alignment	be on the left	be on the left	be on the left	-	be on the left	-
Vertical alignment	vertical centre	vertical centre	vertical centre	-	vertical centre	-
Barcode Format	-	-	-	Code 128	-	-
Font size	-	-	-	12	-	-
Barcode only	-	-	-	no	-	-
Alignment	-	-	-	-	-	-

Element attributes	Sub-layout - template type SAL display content parameter (transparency degree 200 background color #F2F5C3)					
	-Table 1					
	Goods name	salesprice	GoodsPicture	999.99	yuan/box	retailvalue:
Element Type	text	text	picture	price	text	text
Bound field	Goods name	default	default	sales price	unit	default
combination	default	default	default	default	suffix	default
content	-	-	-	999.99	-	-
Picture	-	-	un-add	-	-	-
preview value	default	default	default	default	box	default
Canvas Location	0 0	11 161	326 443	20 211	515 367	428 159
Element size	749 141	145 57	232 200	706 225	231 66	145 57
Background color	transparenc y	transparency	transparen cy	transparenc y	transparen cy	transparen cy
Auto-size	yes	default	-	-	default	default
Display text	Goods name	sales price	-	-	yuan/	retail value:
Font Setting	Zfull-GB	Zfull-GB	-	Impact	Zfull-GB	Zfull-GB
Font effect	B	B	-	B	B	B
Font color	#FF0000	#FF0000	-	#FF0000	#000000	#32C622
Font size	120	40	-	260	50	40
horizontal alignment	horizontal centering	be on the left	-	-	be on the left	be on the left
Vertical alignment	vertical centre	vertical centre	-	-	vertical centre	vertical centre
Barcode Format	-	-	-	-	-	-
Font size	-	-	-	-	-	-
Barcode only	-	-	-	-	-	-
Alignment	-	-	-	be on the left	-	-

Element attributes	Sub-layout - template type SAL display content parameter (transparency degree 200 background color #F2F5C3) -Table 2						
	999.99	code:65789	norm:450g	unit: box	barcode	Device ID	QR code
Element Type	text	text	text	text	barcode	text	QR code
Bound field	retail value	Goods code	norm	unit	goods barcode	default	Device ID
combination	default	suffix	suffix	suffix	default	default	default
content	-	-	-	-	-	-	-
Picture	-	-	-	-	-	-	-
preview value	default	65789	450g	box	default	default	default
Canvas Location	569 151	48 536	48 440	48 488	7 596	636 484	613 522
Element size	176 73	235 52	235 52	251 49	243 47	100 30	130 130
Background color	transparency	transparenc y	transparen cy	transparen cy	transparency	transparen cy	transparency
Auto-size	default	default	default	default	-	default	-
Display text	999.99	code:	norm:	unit:	-	Device ID	-
Font Setting	Impact	Zfull-GB	Zfull-GB	Zfull-GB	-	Zfull-GB	-
Font effect	𝄡	B	B	B	-	B	-
Font color	#32C622	#32C622	#32C622	#32C622	-	#000000	-
Font size	60	35	35	35	-	25	-
horizontal alignment	be on the left	be on the left	be on the left	be on the left	-	be on the left	-
Vertic al alignment	vertical centre	vertical centre	-	vertical centre	vertical centre	vertical centre	-
Barcode Format	-	-	-	-	Code128	-	-
Font size	-	-	-	-	12	-	--
Barcode only	-	-	-	-	no	-	-
Alignment	-	-	-	-	-	-	-



شركة كويت كارپوريشن ليميتد
KUWAIT CORPORATION LIMITED



Ali Sarfraz

Manager Operations & Sales



+965 50272775



ali@kuwaitcorp.com



<https://kuwaitcorp.com/>
<https://kcl.odocs.net/>



Certified Specialist

Software Architect, IT Services, Project Management, Cyber Security
ESL Labels, Cloud Hosting, E-Commerce, LMS System

We Deals In



ESL labels, Info Tags
Flexible Screens



Dynamic Displays
Ad Screens, Kiosks
Smart Boards

Enterprise Softwares



ERP, CRM, HRM, HMS
ESL, LMS



Integrations
K-Net, ERP, POS
Apple Pay, Google Pay

Our Global Associates



Noon Group International



www.aviox.net, UK (R) : 16437921



Star Tower, Floor 17, Abdullah Al-Mubarak Street, Kuwait City.